



EMC Class B



EPEAT registered

Specs

EXCEL DOWNLOAD

Panel

US

WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED



3840*2160 (4K UHD)

Pixel Pitch(mm)

0.42975 x 0.42975

Active Display Area(mm)

1650.24 (H) x 928.26 (V)

Brightness(Typ.)

500 nit

Contrast Ratio

4000:1

Viewing Angle(H/V)

178/178

Response Time(G-to-G)

8ms(Typ.)

Display Colors

16.7M(True Display)1.07B(Dithered 10bit)

Color Gamut

92% (DCI-P3, CIE 1976)

Operation Hour

24/7

Haze

44%

US



WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED

H-Scanning Frequency

30 ~ 81kHz

V-Scanning Frequency

48 ~ 75Hz

Maximum Pixel Frequency

594MHz

Sound

Speaker Type

Built in Speaker(10W + 10W)

Connectivity

Input

US

X

WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED

Audio

Stereo Mini Jack, HDMI/Audio(Common)

USB

USB 2.0 x 2

Output

Audio

Stereo mini Jack

External Control

RS232C(in/out) thru stereo jack, RJ45

External Sensor

IR

Power

Type

US

X

WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED

Max[W/h]

231.0

Typical[W/h]

178.0

Rating[W/h]

210.0

BTU(Max)

787.71

Sleep mode

0.5

Mechanical Specification

Dimension (mm)

Set

1681.1 x 960.1 x 49.7

Package

1871 x 1127 x 223

US



WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED

49.0

VESA Mount (mm)

400 X 400

Stand Type

No

Bezel Width (mm)

11.5mm(U/L/R), 12.5mm(B)

Operation

Operating Temperature

0 °C ~ 40 °C

Humidity

10.0 % ~ 80.0 %

US

X

WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED

Remote Control

N/A

Special Features

H/W : Temperature Sensor,Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker(10W 2ch), IP5x Rating, Wi-Fi S/W : Auto Source Switching & Recovery, LFD Home UI, Button Lock, Hot key option, Plug&Play (Initial Setting)

Internal Player

Processor

Cortex A72 1.7GHz Quad-Core CPU

On-Chip Cache Memory

L1 Instruction Cache : 48KB L1 Data Cache : 32KB L2 Cache : 2MB

Clock Speed

1.7GHz

Main Memory Interface

2.5GB LPDDR4 1.5GHz 64bit

Graphics

Graphic resolution : 1920x1080 Output resolution : 3840x2160 (Scale up from graphic processing result.)

Storage (FDM)

8GB (3.88GB Occupied by O/S, 4.12GB Available)

Multimedia

*Video Decoder : MPEG-1/2/4, H.263, H.264/AVC, UHD H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 *Audio Decoder : AC3 (DD), MPEG

US



WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED

Certification

Safety

60950-1

EMC

Class B

Security

802.1x(WPA2 Enterprise) : EAP-TLS, EAP-TTLS, EAP-PEAP

Accessory

Included

Quick Setup Guide, Warranty Card, Power Cord, Remote Controller, Batteries

Optional

Stand

-

US

X

WE VALUE YOUR PRIVACY

This site uses cookies and related technologies, as described in our privacy policy, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

MANAGE CHOICES

AGREE & PROCEED